



[Recipient name]
[Street address]
[District · City]

Hiraal Elite · Division of Hiraal Clinic

Near Serene Sarovar Premiere · Hargeisa, Somaliland
T +252 63 8282 6666 · elite.hiraal.com

WINDOW

90 × 40 mm · 45 mm from left, 20 mm from foot

Address block on the letterhead falls here.



Better Knees. Without Surgery.

elite.hiraal.com



[Recipient name]

[Street address]

[District · City]

Hiraal Elite · Division of Hiraal Clinic


Near Serene Sarovar Premiere · Hargeisa, Somaliland

T +252 63 8282 6666 · elite.hiraal.com

DL FRONT — POSTAL ZONES

220 mm

110 mm



Postal safety

- Nothing in the bottom 15 mm — it is machine read.
- Sender block sits above that band, at the left.
- Stamp area top-right stays clear of the head band.
- Address type 8.5 pt minimum, never reversed.
- One colour on the address side keeps scanning clean.

DL WINDOW — ALIGNS WITH THE LETTERHEAD ADDRESS BLOCK



Production

- 120 gsm uncoated wove, matching the letterhead.
- Two spot colours: Pantone 316 C and 7501 C.
- Gummed flap. No varnish — it must take a pen.
- Window film 90 x 40 mm, 45 mm in, 20 mm up.
- C5 and the flap side are separate artboards.